Fabric Requirements and Materials

Mid-weight woven fabrics; such as linen, cotton or Tencel twill, hemp, canvas, or lightweight denim.

5-9oz/square yard | 169-305GSM

When choosing your fabric for the Jones Trousers, think about how varying fabric types and weights will affect the look of the trousers. Fabrics with a good deal of drape will create a more fluid garment; while a stiffer, heavier fabric will be more structured throughout the pant legs.

Fabric Requirements

Size	Width	Length
А-Н	44" 112cm	2.25yd 2m
I-J	44" 112cm	2.5yd 2.25m
K-P	52" 132cm	2.5yd 2.5m
Q-R	56" 142cm	2.75yd 2.5m
S	58" 147cm	2.75yd 2.5m

The fabric requirement has been rounded up to the nearest ¼ yard or meter to accommodate straightening the raw edges and potential shrinkage. If you adjust the length of the trousers, the fabric requirement will change.

Notions

Zipper (equal or longer in length):

Size A-D: 5.5" (14cm)

• Size E-H: 6" (15.2cm)

• Size I-J: 6.5" (16.5cm)

Size K-M: 7" (17.8cm)

• Size N-P: 7.5" (19cm)

• Size Q-S: 8" (20.3cm)

If your zipper is longer than specified, it can be shorten – follow a tutorial based on your specific zipper type.

Elastic Length – 1.5"(3.8cm) wide: Approximately $\frac{1}{2}$ your waist measurement + 1"(2.5cm)

Interfacing: Lightweight to mid-weight fusible interfacing (woven interfacing is recommended) – the interfacing should be lighter or equal in weight to the main fabric - Approximately ¼ of a yard/meter

1 Button: 3/4"-1"(19-25mm)

1 Hook and bar closure

Additional Materials Needed:

- Tailors chalk, marking pen or a way to transfer markings to the fabric
- Masking tape to tape tiled pattern pieces together
- Matching thread, pins, sewing clips (optional) scissors, and sewing machine

^{*}Note: If using fabric with a definitive weave or pattern please see **pg. 9** for more information and tips. Fabric with a nap is not recommended.